

# SAFETY DATA SHEET

Issue Date 20-May-2015 Revision Date 20-May-2015 Version 1

CS-200 Blush-Tone Acid Stain Turquoise

# 1. IDENTIFICATION

**Product identifier** 

Product Name Blush-Tone Acid Stain Turquoise

Other means of identification

Product Code CS-200

Recommended use of the chemical and restrictions on use

**Recommended Use** Restricted to professional users.

Uses advised against Consumer use

Details of the supplier of the safety data sheet

Supplier AddressManufacturer AddressSolomon Colors, Inc.Solomon Colors, Inc.4050 Color Plant Road4050 Color Plant RoadSpringfield, IL 62702Springfield, IL 62702

Company Phone Number 800-624-0261 (US & Canada); 217-522-3112 (Outside North America)

24 Hour Emergency Phone Number 800-373-7542

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Subcategory	Sub-category B
Serious eye damage/eye irritation	Category 1

# Label elements

Danger

Emergency Overview	
	·

CS-200 1 / 10 Blush-Tone Acid Stain Turquoise

#### **Hazard statements**

Harmful if swallowed

Harmful if inhaled

Causes severe skin burns and eye damage

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

May cause genetic defects

May cause cancer

May damage fertility or the unborn child

Causes damage to organs through prolonged or repeated exposure



Appearance aqueous solution

Physical state Liquid

**Odor** Strong Pungent

### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

#### **Precautionary Statements - Response**

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

# Other Information

- May be harmful if swallowed
- Toxic to aquatic life with long lasting effects

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

CS-200 2 / 10 Blush-Tone Acid Stain Turquoise

Chemical Name	CAS No.	Weight-%	Trade Secret
Phosphoric acid	7664-38-2	5-30	*
Copper Chloride	7447-39-4	5-30	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

**Inhalation** If fumes from reactions are inhaled, move to fresh air immediately. Call a physician or

poison control center immediately.

Ingestion If swallowed, call a poison control center or physician immediately. Clean mouth with water

and drink afterwards plenty of water.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Contact with metals may evolve flammable hydrogen gas. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Runoff may pollute waterways.

Hazardous combustion products Phosphorus oxides.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Ventilate affected area. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing. Stop

leak if you can do it without risk. Avoid contact with skin, eyes and inhalation of vapors.

Other Information Suppress gases/vapors/mists with water spray jet.

Use personal protection recommended in Section 8. For emergency responders

**Environmental precautions** 

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Prevent further

leakage or spillage if safe to do so. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Dike far ahead of liquid spill for later disposal. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Wash contaminated clothing before reuse. Avoid breathing vapors or mists. Wash

thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep/store only in original **Storage Conditions** 

container. Keep in properly labeled containers. Keep from freezing.

Incompatible materials Strong oxidizing agents. Metals. Alkali.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric acid	STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup>
7664-38-2	TWA: 1 mg/m <sup>3</sup>	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m³
		(vacated) STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>
Copper Chloride	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m3 Cu dust and mist
7447-39-4	-		TWA: 1 mg/m³ Cu dust and mist

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Ensure adequate ventilation, especially in confined areas. Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection**Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Wash face, hands and any exposed skin thoroughly after handling. Use personal protective

equipment as required. Avoid prolonged or repeated contact with skin. Avoid breathing

(dust, vapor, mist, gas). Wash contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Liquid

Appearanceaqueous solutionOdorStrong Pungent

Color Green Odor threshold No information available

Property Values Remarks • Method

pH No information available

Melting point/freezing point 32

Boiling point / boiling range

No information available

Flash point

Evaporation rate

Flammability (solid, gas)

No information available
No information available
No information available

Flammability Limit in Air
Upper flammability limit:
No information available

Upper flammability limit:

Lower flammability limit:

Vapor pressure

Vapor density

No information available
No information available
No information available

Specific Gravity 1.30 +/-0.03

Water solubility No information available Solubility in other solvents No information available

CS-200 5 / 10 Blush-Tone Acid Stain Turquoise

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
No information available

#### Other Information

Softening pointNo information availableMolecular weightNo information available

VOC Content (%) None

DensityNo information availableBulk densityNo information available

# 10. STABILITY AND REACTIVITY

### Reactivity

No data available

#### Chemical stability

Stable under normal conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous polymerization** Hazardous polymerization does not occur.

#### Conditions to avoid

Strong oxidizing agents. Storage near to reactive materials. To avoid thermal decomposition, do not overheat.

# **Incompatible materials**

Strong oxidizing agents. Metals. Alkali.

# **Hazardous Decomposition Products**

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Phosphorus oxides.

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

**Eye contact** No data available.

**Skin Contact** No data available.

**Ingestion** No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Phosphoric acid 7664-38-2	= 1530 mg/kg (Rat)	= 2730 mg/kg (Rabbit)	> 850 mg/m³(Rat)1 h
Copper Chloride 7447-39-4	= 584 mg/kg (Rat)	-	-

# Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization
Germ cell mutagenicity
No information available.

**Chronic toxicity** May cause adverse liver effects.

Target Organ Effects Eyes, kidney, liver, Respiratory system, Skin.

Aspiration hazard No information available.

# Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6563 mg/kg
ATEmix (dermal) 11710 mg/kg
ATEmix (inhalation-gas) 30541 mg/l
ATEmix (inhalation-dust/mist) 0.9 mg/l

# 12. ECOLOGICAL INFORMATION

This product contains a chemical which is listed as a severe marine pollutant according to DOT.

#### **Ecotoxicity**

15.5% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Phosphoric acid	-	3 - 3.5: 96 h Gambusia affinis mg/L	4.6: 12 h Daphnia magna mg/L
7664-38-2		LC50	EC50

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Other adverse effects No information available

CS-200 7 / 10 Blush-Tone Acid Stain Turquoise

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Should not be released into the environment. Disposal should be in accordance with

applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	California Hazardous Waste Status
Phosphoric acid 7664-38-2	Corrosive
Copper Chloride 7447-39-4	Toxic

# 14. TRANSPORT INFORMATION

DOT

**UN/ID no.** UN1805

Proper shipping name Corrosive liquid, NOS, (Hydrochloric Acid, Solution)

Hazard Class 8
Packing Group III

Marine pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT.

# 15. REGULATORY INFORMATION

# **International Inventories**

**TSCA** Complies **DSL/NDSL** Complies Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL PICCS** Complies **AICS** Complies

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Copper Chloride - 7447-39-4	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric acid 7664-38-2	5000 lb	-	-	Х
Copper Chloride 7447-39-4	10 lb	X	-	Х

# CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric acid	5000 lb	-	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ
Copper Chloride	10 lb	-	RQ 10 lb final RQ
7447-39-4			RQ 4.54 kg final RQ

# **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Phosphoric acid	X	X	X
7664-38-2			

CS-200 9 / 10 Blush-Tone Acid Stain Turquoise

Copper Chloride	X	X	X
7447-39-4			

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 0 Reactivity 0 Physical and Chemical

Properties -

Health hazards 0 Flammability 0 Physical hazards 0 Personal protection X

Issue Date20-May-2015Revision Date20-May-2015

**Revision Note** 

Initial conversion to SDS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

CS-200 Blush-Tone Acid Stain Turquoise